
Maszyny do tampondruku

Jednokolorowe i dwukolorowe z otwartym systemem farbowym:

1.	
<u>Model PE-2A</u>	2
2.	
<u>Model PE-3A</u>	3
3.	
<u>Model PE-4</u>	4
4.	
<u>Model PE-6</u>	5
5.	
<u>Model PE-8</u>	6
6.	
<u>Model PE-8M</u>	7
7.	
<u>Model PE-9</u>	8
8.	
<u>Model PE-10</u>	9
9.	
<u>Model PE-4/S2/125</u>	10
10.	
<u>Model PE-6/S2/160</u>	11
11.	
<u>Model PE-6/S2/500</u>	12
12.	
<u>Model PE-8/S2/160</u>	13
13.	
<u>Model PE-8/S2/200</u>	14
14.	
<u>Model PE-8/S2/300</u>	15
15.	
<u>Model PE-8/S2/650</u>	16
16.	
<u>Model PE-8M/S2/650</u>	17
17.	
<u>Model PE-9/S2/650</u>	18
18.	
<u>Model PE-10/S2/650</u>	19

1. Model PE-2A

. **Number of Color**

1

. **Max. Plate Size**

75x150 (mm)

. **Standard Ink Tray Size**

75x100 (mm)

. **Max. Printing Diameter**

Ø 40

. **Max. Printing Length**

130 (mm)

. **Max. Pad Stroke**

50 (mm)

. **Max. Height of Printing Pad**

70 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

----- . **Max. Height of Printing Item**

100 (mm)

. **Printing Pad Pressure**

500 (N at 6 bar)

. **Max. Printing Speed**

3000 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.24 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

50 (Watts)

. **Machine Size LxWxH**

55x41x65 (cm)

. **Packing Size LxWxH**

65x51x75(cm)

. **Approx. Net Weight**

30 (kg)

. **Approx. Gross Weight**

60 (kg)



[Góra dokumentu](#)

2. Model PE-3A

. **Number of Color**

1

. **Max. Plate Size**

75x150 (mm)

. **Standard Ink Tray**

75x100 (mm)

. **Max. Printing Diameter**

Ø 60

. **Max. Printing Length**

130 (mm)

. **Max. Pad Stroke**

50 (mm)

. **Max. Height of Printing Pad**

70 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

----- . **Max. Height of Printing Item**

100 (mm)

. **Printing Pad Pressure**

500 (N at 6 bar)

. **Max. Printing Speed**

3000 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.27 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

50 (Watts)

. **Machine Size LxWxH**

55x35x60 (cm)

. **Packing Size LxWxH**

65x45x70 (cm)

. **Approx. Net Weight**

32 (kg)

. **Approx. Gross Weight**

60 (kg)



[Góra dokumentu](#)

3. Model PE-4

. **Number of Color**

1

. **Max. Plate Size**

100x200 (mm)

. **Standard Ink Tray Size**

100x100 (mm)

. **Max. Printing Diameter**

Ø 65

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

65 (mm)

. **Max. Height of Printing Pad**

70 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

110 (mm)

. **Printing Pad Pressure**

750 (N at 6 bar)

. **Max. Printing Speed**

2400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.46 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

50 (Watts)

. **Machine Size LxWxH**

70x38x130 (cm)

. **Packing Size LxWxH**

85x53x150 (cm)

. **Approx. Net Weight**

70 (kg)

. **Approx. Gross Weight**

105 (kg)



[Góra dokumentu](#)

4. Model PE-6

. **Number of Color**

1

. **Max. Plate Size**

100x250 (mm)

. **Standard Ink Tray Size**

100x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

80 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

125 (mm)

. **Printing Pad Pressure**

1200 (N at 6 bar)

. **Max. Printing Speed**

2000 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.78 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

78x43x143 (cm)

. **Packing Size LxWxH**

93x58x163 (cm)

. **Approx. Net Weight**

113 (kg)

. **Approx. Gross Weight**

163 (kg)



[Góra dokumentu](#)

5. Model PE-8

. **Number of Color**

1

. **Max. Plate Size**

150x350 (mm)

. **Standard Ink Tray Size**

150x250 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

325 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1500 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.36 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x65x154 (cm)

. **Packing Size LxWxH**

103x80x175 (cm)

. **Approx. Net Weight**

140 (kg)

. **Approx. Gross Weight**

195 (kg)



[Góra dokumentu](#)

6. Model PE-8M

. **Number of Color**

1

. **Max. Plate Size**

200x350 (mm)

. **Standard Ink Tray Size**

200x250 (mm)

. **Max. Printing Diameter**

Ø 175

. **Max. Printing Length**

325 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

3000 (N at 6 bar)

. **Max. Printing Speed**

1500 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.05 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

95x65x165 (cm)

. **Packing Size LxWxH**

113x80x185 (cm)

. **Approx. Net Weight**

181 (kg)

. **Approx. Gross Weight**

241 (kg)



[Góra dokumentu](#)

7. Model PE-9

. **Number of Color**

1

. **Max. Plate Size**

200x500 (mm)

. **Standard Ink Tray Size**

200x300 (mm)

. **Max. Printing Diameter**

Ø 175

. **Max. Printing Length**

470 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

500 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

4.62 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

110x85x175 (cm)

. **Packing Size LxWxH**

125x100x200 (cm)

. **Approx. Net Weight**

285 (kg)

. **Approx. Gross Weight**

345 (kg)



[Góra dokumentu](#)

8. Model PE-10

. **Number of Color**

1

. **Max. Plate Size**

250x600 (mm)

. **Standard Ink Tray Size**

250x350 (mm)

. **Max. Printing Diameter**

Ø 225

. **Max. Printing Length**

470 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

500 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

6.95 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

118x85x175 (cm)

. **Packing Size LxWxH**

133x100x200 (cm)

. **Approx. Net Weight**

310 (kg)

. **Approx. Gross Weight**

370 (kg)



[Góra dokumentu](#)

9. Model PE-4/S2/125

. **Number of Color**

2

. **Max. Plate Size**

100x150 (mm)

. **Standard Ink Tray Size**

100x100 (mm)

. **Max. Printing Diameter**

Ø 65

. **Max. Printing Length**

90 (mm)

. **Max. Pad Stroke**

65 (mm)

. **Max. Height of Printing Pad**

80 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

-5° . **Max. Height of Printing Item**

120 (mm)

. **Printing Pad Pressure**

760 (N at 6 bar)

. **Max. Printing Speed**

1,800 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.7 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

50 (Watts)

. **Machine Size LxWxH**

70x55x130 (cm)

. **Packing Size LxWxH**

85x70x150 (cm)

. **Approx. Net Weight**

80 (kg)

. **Approx. Gross Weight**

115 (kg)



[Góra dokumentu](#)

10. Model PE-6/S2/160

. **Number of Color**

2

. **Max. Plate Size**

100x150 (mm)

. **Standard Ink Tray Size**

100x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

125 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

80 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° (positive)

. **Max. Height of Printing Item**

125 (mm)

. **Printing Pad Pressure**

1200 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.2 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

78x62x143 (cm)

. **Packing Size LxWxH**

93x72x153 (cm)

. **Approx. Net Weight**

125 (kg)

. **Approx. Gross Weight**

180 (kg)



[Góra dokumentu](#)

11. Model PE-6/S2/500

. **Number of Color**

2

. **Max. Plate Size**

100x250 (mm)

. **Standard Ink Tray Size**

100x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

200 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

80 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

125 (mm)

. **Printing Pad Pressure**

1200 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.4 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

87x73x143 (cm)

. **Packing Size LxWxH**

102x88x163 (cm)

. **Approx. Net Weight**

144 (kg)

. **Approx. Gross Weight**

210 (kg)



[Góra dokumentu](#)

12. Model PE-8/S2/160

. **Number of Color**

2

. **Max. Plate Size**

150x125 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 100

. **Max. Printing Length**

125 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1300 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.96 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x62x154 (cm)

. **Packing Size LxWxH**

103x77x174 (cm)

. **Approx. Net Weight**

152 (kg)

. **Approx. Gross Weight**

220 (kg)

**B
r
a
k**

**z
d
j
ę
c
i
a**

[Góra dokumentu](#)

13. Model PE-8/S2/200

. **Number of Color**

2

. **Max. Plate Size**

150x150 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

125 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.98 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

80x70x154 (cm)

. **Packing Size LxWxH**

103x85x174 (cm)

. **Approx. Net Weight**

153 (kg)

. **Approx. Gross Weight**

225 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

14. Model PE-8/S2/300

. **Number of Color**

2

. **Max. Plate Size**

150x250 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1100 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.05 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x80x154 (cm)

. **Packing Size LxWxH**

103x95x174 (cm)

. **Approx. Net Weight**

156 (kg)

. **Approx. Gross Weight**

230 (kg)



[Góra dokumentu](#)

15. Model PE-8/S2/650**. Number of Color**

2

. Max. Plate Size

150x300 (mm)

. Standard Ink Tray Size

150x100 (mm)

. Max. Printing Diameter

Ø 125

. Max. Printing Length

275 (mm)

. Max. Pad Stroke

80 (mm)

. Max. Height of Printing Pad

130 (mm)

. Printing Pad Offset Angle

360°

. Work Table Offset Angle5° . **Max. Height of Printing Item**

230 (mm)

. Printing Pad Pressure

1800 (N at 6 bar)

. Max. Printing Speed

1000 (Cycle/Hour)

. Compress Air Pressure

5-7 (bar)

. Air Consumption

2.5 (L/Cycle)

. Mains supply

110/220V 50/60Hz (Single Phase AC)

. Power consumption

60 (Watts)

. Machine Size LxWxH

90x92x154 (cm)

. Packing Size LxWxH

105x107x174 (cm)

. Approx. Net Weight

176 (kg)

. Approx. Gross Weight

240 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**[Góra dokumentu](#)

16. Model PE-8M/S2/650**. Number of Color**

2

. Max. Plate Size

200x300 (mm)

. Standard Ink Tray Size

200x100 (mm)

. Max. Printing Diameter

Ø 175

. Max. Printing Length

275 (mm)

. Max. Pad Stroke

80 (mm)

. Max. Height of Printing Pad

130 (mm)

. Printing Pad Offset Angle

360°

. Work Table Offset Angle5° . **Max. Height of Printing Item**

230 (mm)

. Printing Pad Pressure

3000 (N at 6 bar)

. Max. Printing Speed

1000 (Cycle/Hour)

. Compress Air Pressure

5-7 (bar)

. Air Consumption

3.5 (L/Cycle)

. Mains supply

110/220V 50/60Hz (Single Phase AC)

. Power consumption

60 (Watts)

. Machine Size LxWxH

98x92x165 (cm)

. Packing Size LxWxH

113x107x185 (cm)

. Approx. Net Weight

217 (kg)

. Approx. Gross Weight

320 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**[Góra dokumentu](#)

17. Model PE-9/S2/650

- . **Number of Color**
2
- . **Max. Plate Size**
200x300 (mm)
- . **Standard Ink Tray Size**
200x100 (mm)
- . **Max. Printing Diameter**
Ø 175
- . **Max. Printing Length**
275 (mm)
- . **Max. Pad Stroke**
125 (mm)

- . **Max. Height of Printing Pad**
150 (mm)
- . **Shuttle Stroke of each color**
650 (mm)
- . **Printing Pad Offset Angle**
360°
- . **Work Table Offset Angle**
5°
- . **Max. Height of Printing Item**
400 (mm)

- . **Printing Pad Pressure**
4710 (N at 6 bar)
- . **Max. Printing Speed**
1000 (Cycle/Hour)
- . **Compress Air Pressure**
5-7 (bar)

- . **Air Consumption**
7.2 (L/Cycle)
- . **Mains supply**
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**
60 (Watts)
- . **Machine Size LxWxH**
100x93x175 (cm)
- . **Packing Size LxWxH**
130x110x195 (cm)
- . **Approx. Net Weight**
321 (kg)
- . **Approx. Gross Weight**
480 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

18. Model PE-10/S2/650

- . **Number of Color**
2
- . **Max. Plate Size**
250x300 (mm)
- . **Standard Ink Tray Size**
250x100 (mm)
- . **Max. Printing Diameter**
Ø 225
- . **Max. Printing Length**
275 (mm)
- . **Max. Pad Stroke**
125 (mm)

- . **Max. Height of Printing Pad**
150 (mm)
- . **Shuttle Stroke of each color**
650 (mm)
- . **Printing Pad Offset Angle**
360°
- . **Work Table Offset Angle**
5°
- . **Max. Height of Printing Item**
400 (mm)

- . **Printing Pad Pressure**
7360 (N at 6 bar)
- . **Max. Printing Speed**
800 (Cycle/Hour)
- . **Compress Air Pressure**
5-7 (bar)

- . **Air Consumption**
10.65 (L/Cycle)
- . **Mains supply**
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**
60 (Watts)
- . **Machine Size LxWxH**
120x93x175 (cm)
- . **Packing Size LxWxH**
140x110x195 (cm)
- . **Approx. Net Weight**
346 (kg)
- . **Approx. Gross Weight**
510 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)