
Maszyny do tampondruku

Od 4 do 8 kolorowych z otwartym systemem farbowym:

| | |
|---------------------------------|----|
| 1. | |
| <u>Model PE-6/S4/500</u> | 2 |
| 2. | |
| <u>Model PE-8/S4/500</u> | 3 |
| 3. | |
| <u>Model PE-8/S4/650</u> | 4 |
| 4. | |
| <u>Model PE-8M/S4/650</u> | 5 |
| 5. | |
| <u>Model PE-9/S4/650</u> | 6 |
| 6. | |
| <u>Model PE-10/S4/650</u> | 7 |
| 7. | |
| <u>Model PE-8/S5/500</u> | 8 |
| 8. | |
| <u>Model PE-8/S5/650</u> | 9 |
| 9. | |
| <u>Model PE-8M/S5/650</u> | 10 |
| 10. | |
| <u>Model PE-9/S5/650</u> | 11 |
| 11. | |
| <u>Model PE-10/S5/650</u> | 12 |
| 12. | |
| <u>Model PE-8/S6/650</u> | 13 |
| 13. | |
| <u>Model PE-8M/S6/650</u> | 14 |
| 14. | |
| <u>Model PE-9/S6/650</u> | 15 |
| 15. | |
| <u>Model PE-10/S6/650</u> | 16 |
| 16. | |
| <u>Model PE-10/S7/650</u> | 17 |
| 17. | |
| <u>Model PE-9/S8/650</u> | 18 |
| 18. | |
| <u>Model PE-10/S8/650</u> | 19 |

1. Model PE-6/S4/500

. **Number of Color**

4

. **Max. Plate Size**

100x100 (mm)

. **Standard Ink Tray Size**

100x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

75 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

80 (mm)

. **Shuttle Stroke of each color**

----- (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

125 (mm)

. **Printing Pad Pressure**

1200 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.2 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

87x73x143 (cm)

. **Packing Size LxWxH**

102x88x163 (cm)

. **Approx. Net Weight**

155 (kg)

. **Approx. Gross Weight**

230 (kg)



[Góra dokumentu](#)

2. Model PE-8/S4/500

. **Number of Color**

4

. **Max. Plate Size**

150x150 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

125 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Shuttle Stroke of each color**

----- (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

800 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

3.79 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

90x92x154 (cm)

. **Packing Size LxWxH**

105x107x174 (cm)

. **Approx. Net Weight**

182 (kg)

. **Approx. Gross Weight**

261 (kg)



[Góra dokumentu](#)

3. Model PE-8/S4/650

. **Number of Color**

4

. **Max. Plate Size**

150x150 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

125 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Shuttle Stroke of each color**

----- (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

800 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

3.79 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

90x92x154 (cm)

. **Packing Size LxWxH**

105x107x174 (cm)

. **Approx. Net Weight**

187 (kg)

. **Approx. Gross Weight**

270 (kg)

**B
r
a
k**

**z
d
j
ę
c
i
a**

[Góra dokumentu](#)

4. Model PE-8M/S4/650

. **Number of Color**

4

. **Max. Plate Size**

200x150 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Shuttle Stroke of each color**

----- (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

3000 (N at 6 bar)

. **Max. Printing Speed**

800 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5.42 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

98x92x165 (cm)

. **Packing Size LxWxH**

113x107x185 (cm)

. **Approx. Net Weight**

218 (kg)

. **Approx. Gross Weight**

320 (kg)

**B
r
a
k**

**z
d
j
ę
c
i
a**

[Góra dokumentu](#)

5. Model PE-9/S4/650

. **Number of Color**

4

. **Max. Plate Size**

200x150 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Shuttle Stroke of each color**

216 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

400 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

800 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

11.46 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

110x93x175 (cm)

. **Packing Size LxWxH**

130x110x195 (cm)

. **Approx. Net Weight**

332 (kg)

. **Approx. Gross Weight**

490 (kg)



[Góra dokumentu](#)

6. Model PE-10/S4/650

. **Number of Color**

4

. **Max. Plate Size**

250x150 (mm)

. **Standard Ink Tray Size**

250x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Shuttle Stroke of each color**

216 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

400 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

600 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

17.11 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

120x93x175 (cm)

. **Packing Size LxWxH**

140x110x195 (cm)

. **Approx. Net Weight**

357 (kg)

. **Approx. Gross Weight**

530 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

7. Model PE-8/S5/500

. **Number of Color**

5

. **Max. Plate Size**

150x125 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 100

. **Max. Printing Length**

125 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Shuttle Stroke of each color**

----- (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

700 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

4.47 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

90x92x154 (cm)

. **Packing Size LxWxH**

105x107x174 (cm)

. **Approx. Net Weight**

188 (kg)

. **Approx. Gross Weight**

267 (kg)

[Góra dokumentu](#)



8. Model PE-8/S5/650

- . **Number of Color**
5
- . **Max. Plate Size**
150x125 (mm)
- . **Standard Ink Tray Size**
150x100 (mm)
- . **Max. Printing Diameter**
Ø 100
- . **Max. Printing Length**
125 (mm)
- . **Max. Pad Stroke**
80 (mm)

- . **Max. Height of Printing Pad**
130 (mm)
- . **Shuttle Stroke of each color**
----- (mm)
- . **Printing Pad Offset Angle**
360°
- . **Work Table Offset Angle**
5°
- . **Max. Height of Printing Item**
230 (mm)

- . **Printing Pad Pressure**
1800 (N at 6 bar)
- . **Max. Printing Speed**
700 (Cycle/Hour)
- . **Compress Air Pressure**
5-7 (bar)

- . **Air Consumption**
4.47 (L/Cycle)
- . **Mains supply**
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**
60 (Watts)
- . **Machine Size LxWxH**
90x92x154 (cm)
- . **Packing Size LxWxH**
105x107x174 (cm)
- . **Approx. Net Weight**
192 (kg)
- . **Approx. Gross Weight**
280 (kg)



[Góra dokumentu](#)

9. Model PE-8M/S5/650

- . **Number of Color**
5
- . **Max. Plate Size**
200x125 (mm)
- . **Standard Ink Tray Size**
200x100 (mm)
- . **Max. Printing Diameter**
Ø 100
- . **Max. Printing Length**
175 (mm)
- . **Max. Pad Stroke**
80 (mm)

- . **Max. Height of Printing Pad**
130 (mm)
- . **Shuttle Stroke of each color**
----- (mm)
- . **Printing Pad Offset Angle**
360°
- . **Work Table Offset Angle**
5°
- . **Max. Height of Printing Item**
230 (mm)

- . **Printing Pad Pressure**
3000 (N at 6 bar)
- . **Max. Printing Speed**
700 (Cycle/Hour)
- . **Compress Air Pressure**
5-7 (bar)

- . **Air Consumption**
6.38 (L/Cycle)
- . **Mains supply**
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**
60 (Watts)
- . **Machine Size LxWxH**
90x92x154 (cm)
- . **Packing Size LxWxH**
105x107x174 (cm)
- . **Approx. Net Weight**
233 (kg)
- . **Approx. Gross Weight**
340 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

10. Model PE-9/S5/650

- . **Number of Color**
5
- . **Max. Plate Size**
200x100 (mm)
- . **Standard Ink Tray Size**
200x100 (mm)
- . **Max. Printing Diameter**
Ø 75
- . **Max. Printing Length**
175 (mm)
- . **Max. Pad Stroke**
125 (mm)

- . **Max. Height of Printing Pad**
150 (mm)
- . **Shuttle Stroke of each color**
162 (mm)
- . **Printing Pad Offset Angle**
360°
- . **Work Table Offset Angle**
5°
- . **Max. Height of Printing Item**
400 (mm)

- . **Printing Pad Pressure**
4710 (N at 6 bar)
- . **Max. Printing Speed**
700 (Cycle/Hour)
- . **Compress Air Pressure**
5-7 (bar)

- . **Air Consumption**
13.6 (L/Cycle)
- . **Mains supply**
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**
60 (Watts)
- . **Machine Size LxWxH**
110x93x175 (cm)
- . **Packing Size LxWxH**
130x110x195 (cm)
- . **Approx. Net Weight**
337 (kg)
- . **Approx. Gross Weight**
500 (kg)



[Góra dokumentu](#)

11. Model PE-10/S5/650

- . **Number of Color**
5
- . **Max. Plate Size**
250x100 (mm)
- . **Standard Ink Tray Size**
250x100 (mm)
- . **Max. Printing Diameter**
Ø 75
- . **Max. Printing Length**
225 (mm)
- . **Max. Pad Stroke**
125 (mm)

- . **Max. Height of Printing Pad**
150 (mm)
- . **Shuttle Stroke of each color**
162 (mm)
- . **Printing Pad Offset Angle**
360°
- . **Work Table Offset Angle**
5°
- . **Max. Height of Printing Item**
400 (mm)

- . **Printing Pad Pressure**
7360 (N at 6 bar)
- . **Max. Printing Speed**
500 (Cycle/Hour)
- . **Compress Air Pressure**
5-7 (bar)

- . **Air Consumption**
20.34 (L/Cycle)
- . **Mains supply**
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**
60 (Watts)
- . **Machine Size LxWxH**
120x93x175 (cm)
- . **Packing Size LxWxH**
140x110x195 (cm)
- . **Approx. Net Weight**
362 (kg)
- . **Approx. Gross Weight**
540 (kg)



[Góra dokumentu](#)

12. Model PE-8/S6/650

- . Number of Color
6
- . Max. Plate Size
150x100 (mm)
- . Standard Ink Tray Size
150x100 (mm)
- . Max. Printing Diameter
Ø 75
- . Max. Printing Length
125 (mm)
- . Max. Pad Stroke
80 (mm)

- . Max. Height of Printing Pad
130 (mm)
- . Shuttle Stroke of each color
----- (mm)
- . Printing Pad Offset Angle
360°
- . Work Table Offset Angle
5°
- . Max. Height of Printing Item
230 (mm)

- . Printing Pad Pressure
1800 (N at 6 bar)
- . Max. Printing Speed
600 (Cycle/Hour)
- . Compress Air Pressure
5-7 (bar)

- . Air Consumption
5.13 (L/Cycle)
- . Mains supply
110/220V 50/60Hz (Single Phase AC)
- . Power consumption
60 (Watts)
- . Machine Size LxWxH
90x92x154 (cm)
- . Packing Size LxWxH
105x107x174 (cm)
- . Approx. Net Weight
198 (kg)
- . Approx. Gross Weight
286 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

13. Model PE-8M/S6/650

- . **Number of Color**
6
- . **Max. Plate Size**
200x100 (mm)
- . **Standard Ink Tray Size**
200x100 (mm)
- . **Max. Printing Diameter**
Ø 75
- . **Max. Printing Length**
175 (mm)
- . **Max. Pad Stroke**
80 (mm)

- . **Max. Height of Printing Pad**
130 (mm)
- . **Shuttle Stroke of each color**
----- (mm)
- . **Printing Pad Offset Angle**
360°
- . **Work Table Offset Angle**
5°
- . **Max. Height of Printing Item**
230 (mm)

- . **Printing Pad Pressure**
3000 (N at 6 bar)
- . **Max. Printing Speed**
600 (Cycle/Hour)
- . **Compress Air Pressure**
5-7 (bar)

- . **Air Consumption**
7.35 (L/Cycle)
- . **Mains supply**
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**
60 (Watts)
- . **Machine Size LxWxH**
90x92x154 (cm)
- . **Packing Size LxWxH**
105x107x174 (cm)
- . **Approx. Net Weight**
239 (kg)
- . **Approx. Gross Weight**
350 (kg)



[Góra dokumentu](#)

14. Model PE-9/S6/650

. **Number of Color**

6

. **Max. Plate Size**

200x100 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Shuttle Stroke of each color**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

400 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

600 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

15.71 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

110x93x175 (cm)

. **Packing Size LxWxH**

130x110x195 (cm)

. **Approx. Net Weight**

343 (kg)

. **Approx. Gross Weight**

510 (kg)



[Góra dokumentu](#)

15. Model PE-10/S6/650

. **Number of Color**

6

. **Max. Plate Size**

250x100 (mm)

. **Standard Ink Tray Size**

250x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Shuttle Stroke of each color**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

400 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

23.6 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

120x93x175 (cm)

. **Packing Size LxWxH**

140x110x195 (cm)

. **Approx. Net Weight**

368 (kg)

. **Approx. Gross Weight**

550 (kg)



[Góra dokumentu](#)

16. Model PE-10/S7/650**. Number of Color**

7

. Max. Plate Size

250x75(mm)

. Standard Ink Tray Size

250x75 (mm)

. Max. Printing Diameter

Ø 55

. Max. Printing Length

225 (mm)

. Max. Pad Stroke

125 (mm)

. Max. Height of Printing Pad

150 (mm)

. Shuttle Stroke of each color

188 (mm)

. Printing Pad Offset Angle

360°

. Work Table Offset Angle5° . **Max. Height of Printing Item**

400 (mm)

. Printing Pad Pressure

7360 (N at 6 bar)

. Max. Printing Speed

300 (Cycle/Hour)

. Compress Air Pressure

5-7 (bar)

. Air Consumption

26.8 (L/Cycle)

. Mains supply

110/220V 50/60Hz (Single Phase AC)

. Power consumption

60 (Watts)

. Machine Size LxWxH

120x93x175 (cm)

. Packing Size LxWxH

140x110x195 (cm)

. Approx. Net Weight

373 (kg)

. Approx. Gross Weight

550 (kg)

**B
r
a
k****z
d
j
ę
c
i
a**[Góra dokumentu](#)

17. Model PE-9/S8/650

. **Number of Color**

8

. **Max. Plate Size**

200x75 (mm)

. **Standard Ink Tray Size**

200x75 (mm)

. **Max. Printing Diameter**

Ø 55

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Shuttle Stroke of each color**

82 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

400 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

19.96 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

110x93x175 (cm)

. **Packing Size LxWxH**

130x110x195 (cm)

. **Approx. Net Weight**

359 (kg)

. **Approx. Gross Weight**

530 (kg)

**B
r
a
k**

**z
d
j
ę
c
i
a**

[Góra dokumentu](#)

18. Model PE-10/S8/650**. Number of Color**

8

. Max. Plate Size

250x75(mm)

. Standard Ink Tray Size

250x75 (mm)

. Max. Printing Diameter

Ø 55

. Max. Printing Length

225 (mm)

. Max. Pad Stroke

125 (mm)

. Max. Height of Printing Pad

150 (mm)

. Shuttle Stroke of each color

82 (mm)

. Printing Pad Offset Angle

360°

. Work Table Offset Angle5° . **. Max. Height of Printing Item**

400 (mm)

. Printing Pad Pressure

7360 (N at 6 bar)

. Max. Printing Speed

200 (Cycle/Hour)

. Compress Air Pressure

5-7 (bar)

. Air Consumption

30 (L/Cycle)

. Mains supply

110/220V 50/60Hz (Single Phase AC)

. Power consumption

60 (Watts)

. Machine Size LxWxH

120x93x175 (cm)

. Packing Size LxWxH

140x110x195 (cm)

. Approx. Net Weight

384 (kg)

. Approx. Gross Weight

570 (kg)

**B
r
a
k****z
d
j
ę
c
i
a**[Góra dokumentu](#)