
Maszyny do tampondruku

Od 2 do 8 kolorowych z otwartym systemem farbowym – stół obrotowy:

1.	<u>Model PE-6/C2/152/10</u>	2
2.	<u>Model PE-8/C2/152/10</u>	3
3.	<u>Model PE-8M/C2/152/10</u>	4
4.	<u>Model PE-9/C2/152/10</u>	5
5.	<u>Model PE-10/C2/152/10</u>	6
6.	<u>Model PE-6/C4/127/16</u>	7
7.	<u>Model PE-8/C4/127/16</u>	8
8.	<u>Model PE-8M/C4/127/16</u>	9
9.	<u>Model PE-9/C4/127/16</u>	10
10.	<u>Model PE-9/C4/152L/14</u>	11
11.	<u>Model PE-9P/C4/152/16</u>	12
12.	<u>Model PE-10/C4/127/16</u>	13
13.	<u>Model PE-10/C4/152L/14</u>	14
14.	<u>Model PE-8/C5/152/16</u>	15
15.	<u>Model PE-8M/C5/152/16</u>	16
16.	<u>Model PE-9/C5/152/16</u>	17
17.	<u>Model PE-10/C5/152/16</u>	18
18.	<u>Model PE-10/C5/203L/14</u>	19
19.	<u>Model PE-8/C6/127/18</u>	20
20.	<u>Model PE-8M/C6/127/18</u>	21
21.	<u>Model PE-9/C6/127/18</u>	22
22.	<u>Model PE-9/C6/127L/18</u>	23
23.	<u>Model PE-10/C6/127/18</u>	24
24.	<u>Model PE-10/C6/127L/18</u>	25
25.	<u>Model PE-9/C8/102L/24</u>	26
26.	<u>Model PE-10/C8/102L/24</u>	27

1. Model PE-6/C2/152/10

. **Number of Color**

2

. **Max. Plate Size**

100x150 (mm)

. **Standard Ink Tray Size**

100x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

100 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

80 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

125 (mm)

. **Printing Pad Pressure**

1200 (N at 6 bar)

. **Max. Printing Speed**

1700 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.2 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

107x86x143 (cm)

. **Packing Size LxWxH**

122x101x163 (cm)

. **Approx. Net Weight**

164 (kg)

. **Approx. Gross Weight**

257 (kg)



[Góra dokumentu](#)

2. Model PE-8/C2/152/10

. **Number of Color**

2

. **Max. Plate Size**

150x150 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

120 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

270 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.77 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

100x76x154 (cm)

. **Packing Size LxWxH**

115x91x174 (cm)

. **Approx. Net Weight**

191 (kg)

. **Approx. Gross Weight**

280 (kg)



[Góra dokumentu](#)

3. Model PE-8M/C2/152/10

. **Number of Color**

2

. **Max. Plate Size**

200x150 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

270 (mm)

. **Printing Pad Pressure**

3000 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.46 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

110x76x165 (cm)

. **Packing Size LxWxH**

125x91x185 (cm)

. **Approx. Net Weight**

232 (kg)

. **Approx. Gross Weight**

340 (kg)



[Góra dokumentu](#)

4. Model PE-9/C2/152/10

. **Number of Color**

2

. **Max. Plate Size**

200x150 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5.03 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

121x80x175 (cm)

. **Packing Size LxWxH**

140x100x195 (cm)

. **Approx. Net Weight**

336 (kg)

. **Approx. Gross Weight**

500 (kg)



[Góra dokumentu](#)

5. Model PE-10/C2/152/10

. Number of Color

2

. Max. Plate Size

250x150 (mm)

. Standard Ink Tray Size

250x100 (mm)

. Max. Printing Diameter

Ø 125

. Max. Printing Length

225 (mm)

. Max. Pad Stroke

125 (mm)

. Max. Height of Printing Pad

150 (mm)

. Printing Pad Offset Angle

360°

. Work Table Offset Angle

5° . **Max. Height of Printing Item**

450 (mm)

. Printing Pad Pressure

7360 (N at 6 bar)

. Max. Printing Speed

1200 (Cycle/Hour)

. Compress Air Pressure

5-7 (bar)

. Air Consumption

7.36 (L/Cycle)

. Mains supply

110/220V 50/60Hz (Single Phase AC)

. Power consumption

60 (Watts)

. Machine Size LxWxH

132x80x175 (cm)

. Packing Size LxWxH

152x100x195 (cm)

. Approx. Net Weight

361 (kg)

. Approx. Gross Weight

540 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

6. Model PE-6/C4/127/16

. **Number of Color**

4

. **Max. Plate Size**

100x100 (mm)

. **Standard Ink Tray Size**

100x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

75 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

80 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

125 (mm)

. **Printing Pad Pressure**

1200 (N at 6 bar)

. **Max. Printing Speed**

1700 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.35 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

107x90x143 (cm)

. **Packing Size LxWxH**

122x105x165 (cm)

. **Approx. Net Weight**

185 (kg)

. **Approx. Gross Weight**

290 (kg)



[Góra dokumentu](#)

7. Model PE-8/C4/127/16

. **Number of Color**

4

. **Max. Plate Size**

150x100 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

125 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

270 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.72 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

110x95x154 (cm)

. **Packing Size LxWxH**

125x110x174 (cm)

. **Approx. Net Weight**

212 (kg)

. **Approx. Gross Weight**

310 (kg)



[Góra dokumentu](#)

8. Model PE-8M/C4/127/16

. **Number of Color**

4

. **Max. Plate Size**

200x100 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

270 (mm)

. **Printing Pad Pressure**

3000 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.42 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

120x95x165 (cm)

. **Packing Size LxWxH**

135x110x185 (cm)

. **Approx. Net Weight**

253 (kg)

. **Approx. Gross Weight**

370 (kg)



[Góra dokumentu](#)

9. Model PE-9/C4/127/16

. **Number of Color**

4

. **Max. Plate Size**

200x100 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

4.98 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

121x92x175 (cm)

. **Packing Size LxWxH**

140x110x195 (cm)

. **Approx. Net Weight**

357 (kg)

. **Approx. Gross Weight**

530 (kg)



[Góra dokumentu](#)

10. Model PE-9/C4/152L/14

. **Number of Color**

4

. **Max. Plate Size**

200x125 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 100

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5.08 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

150x128x175 (cm)

. **Packing Size LxWxH**

170x148x195 (cm)

. **Approx. Net Weight**

390 (kg)

. **Approx. Gross Weight**

580 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

11. Model PE-9P/C4/152/16

. **Number of Color**

4

. **Max. Plate Size**

200x125 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 100

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

7.3 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

150x128x180 (cm)

. **Packing Size LxWxH**

170x148x200 (cm)

. **Approx. Net Weight**

395 (kg)

. **Approx. Gross Weight**

590 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

12. Model PE-10/C4/127/16

. **Number of Color**

4

. **Max. Plate Size**

250x100 (mm)

. **Standard Ink Tray Size**

250x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

7.32 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

140x93x175 (cm)

. **Packing Size LxWxH**

160x113x195 (cm)

. **Approx. Net Weight**

382 (kg)

. **Approx. Gross Weight**

560 (kg)



[Góra dokumentu](#)

13. Model PE-10/C4/152L/14

. **Number of Color**

4

. **Max. Plate Size**

250x125 (mm)

. **Standard Ink Tray Size**

250x100 (mm)

. **Max. Printing Diameter**

Ø 100

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

7.41 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

152x128x175 (cm)

. **Packing Size LxWxH**

172x148x195 (cm)

. **Approx. Net Weight**

415 (kg)

. **Approx. Gross Weight**

620 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

14. Model PE-8/C5/152/16

. **Number of Color**

5

. **Max. Plate Size**

150x125 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 100

. **Max. Printing Length**

125 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

270 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.8 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

110x124x154 (cm)

. **Packing Size LxWxH**

125x140x174 (cm)

. **Approx. Net Weight**

234 (kg)

. **Approx. Gross Weight**

350 (kg)



[Góra dokumentu](#)

15. Model PE-8M/C5/152/16

. **Number of Color**

5

. **Max. Plate Size**

200x125 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 100

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

270 (mm)

. **Printing Pad Pressure**

3000 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.49 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

120x124x165 (cm)

. **Packing Size LxWxH**

135x140x185 (cm)

. **Approx. Net Weight**

275 (kg)

. **Approx. Gross Weight**

410 (kg)



[Góra dokumentu](#)

16. Model PE-9/C5/152/16

. **Number of Color**

5

. **Max. Plate Size**

200x125 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 100

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5.06 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

121x124x175 (cm)

. **Packing Size LxWxH**

140x145x195 (cm)

. **Approx. Net Weight**

379 (kg)

. **Approx. Gross Weight**

552 (kg)



[Góra dokumentu](#)

17. Model PE-10/C5/152/16

. **Number of Color**

5

. **Max. Plate Size**

250x125 (mm)

. **Standard Ink Tray Size**

250x100 (mm)

. **Max. Printing Diameter**

Ø 100

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

7.4 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

140x124x175 (cm)

. **Packing Size LxWxH**

160x144x195 (cm)

. **Approx. Net Weight**

399 (kg)

. **Approx. Gross Weight**

600 (kg)



[Góra dokumentu](#)

18. Model PE-10/C5/203L/14

. **Number of Color**

5

. **Max. Plate Size**

250x150 (mm)

. **Standard Ink Tray Size**

250x100 (mm)

. **Max. Printing Diameter**

Ø 125

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

7.55 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

152x165x175 (cm)

. **Packing Size LxWxH**


172x182x195 (cm)

. **Approx. Net Weight**

437 (kg)

. **Approx. Gross Weight**

660 (kg)



[Góra dokumentu](#)

19. Model PE-8/C6/127/18

. **Number of Color**

6

. **Max. Plate Size**

150x100 (mm)

. **Standard Ink Tray Size**

150x100 (mm)

. **Max. Printing Diameter**

Ø 175

. **Max. Printing Length**

125 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

270 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.74 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

100x115x154 (cm)

. **Packing Size LxWxH**

115x130x174 (cm)

. **Approx. Net Weight**

238 (kg)

. **Approx. Gross Weight**

350 (kg)



[Góra dokumentu](#)

20. Model PE-8M/C6/127/18

. **Number of Color**

6

. **Max. Plate Size**

200x100 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

270 (mm)

. **Printing Pad Pressure**

3000 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.43 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

120x115x165 (cm)

. **Packing Size LxWxH**

135x130x185 (cm)

. **Approx. Net Weight**

279 (kg)

. **Approx. Gross Weight**

410 (kg)



[Góra dokumentu](#)

21. Model PE-9/C6/127/18

. **Number of Color**

6

. **Max. Plate Size**

200x100 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

121x115x175 (cm)

. **Packing Size LxWxH**

140x135x195 (cm)

. **Approx. Net Weight**

383 (kg)

. **Approx. Gross Weight**

556 (kg)



[Góra dokumentu](#)

22. Model PE-9/C6/127L/18

. **Number of Color**

6

. **Max. Plate Size**

200x100 (mm)

. **Standard Ink Tray Size**

200x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

175 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5.04 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

150x130x175 (cm)

. **Packing Size LxWxH**

170x150x195 (cm)

. **Approx. Net Weight**

413 (kg)

. **Approx. Gross Weight**

610 (kg)



[Góra dokumentu](#)

23. Model PE-10/C6/127/18

. **Number of Color**

6

. **Max. Plate Size**

250x100 (mm)

. **Standard Ink Tray Size**

250x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

7.34 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

140x115x175 (cm)

. **Packing Size LxWxH**

160x135x195 (cm)

. **Approx. Net Weight**

403 (kg)

. **Approx. Gross Weight**

600 (kg)



[Góra dokumentu](#)

24. Model PE-10/C6/127L/18

. **Number of Color**

6

. **Max. Plate Size**

250x100 (mm)

. **Standard Ink Tray Size**

250x100 (mm)

. **Max. Printing Diameter**

Ø 75

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

7.37 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

154x138x175 (cm)

. **Packing Size LxWxH**

174x158x195 (cm)

. **Approx. Net Weight**

433 (kg)

. **Approx. Gross Weight**

665 (kg)



[Góra dokumentu](#)

25. Model PE-9/C8/102L/24**. Number of Color**

8

. Max. Plate Size

200x75 (mm)

. Standard Ink Tray Size

200x75 (mm)

. Max. Printing Diameter

Ø 50

. Max. Printing Length

175 (mm)

. Max. Pad Stroke

125 (mm)

. Max. Height of Printing Pad

150 (mm)

. Printing Pad Offset Angle

360°

. Work Table Offset Angle5° . **Max. Height of Printing Item**

450 (mm)

. Printing Pad Pressure

4710 (N at 6 bar)

. Max. Printing Speed

1400 (Cycle/Hour)

. Compress Air Pressure

5-7 (bar)

. Air Consumption

5.01 (L/Cycle)

. Mains supply

110/220V 50/60Hz (Single Phase AC)

. Power consumption

60 (Watts)

. Machine Size LxWxH

150x145x175 (cm)

. Packing Size LxWxH

170x165x195 (cm)

. Approx. Net Weight

464 (kg)

. Approx. Gross Weight

690 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**[Góra dokumentu](#)

26. Model PE-10/C8/102L/24

. **Number of Color**

8

. **Max. Plate Size**

250x75 (mm)

. **Standard Ink Tray Size**

250x75 (mm)

. **Max. Printing Diameter**

Ø 50

. **Max. Printing Length**

225 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

150 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

450 (mm)

. **Printing Pad Pressure**

7360 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

7.37 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

154x144x175 (cm)

. **Packing Size LxWxH**

174x164x195 (cm)

. **Approx. Net Weight**

479 (kg)

. **Approx. Gross Weight**

720 (kg)



[Góra dokumentu](#)