
Maszyny do tampondruku

Jedno kolorowe z zamkniętym systemem farbowym:

1.	
<u>Model PE-13C</u>	2
2.	
<u>Model PE-13CP</u>	3
3.	
<u>Model PE-2C</u>	4
4.	
<u>Model PE-3B</u>	5
5.	
<u>Model PE-4C</u>	6
6.	
<u>Model PE-6C</u>	7
7.	
<u>Model PE-8C</u>	8
8.	
<u>Model PE-8MC</u>	9
9.	
<u>Model PE-8C-110</u>	10
10.	
<u>Model PE-8C-120</u>	11
11.	
<u>Model PE-8MC-110</u>	12
12.	
<u>Model PE-8MC-140</u>	13
13.	
<u>Model PE-9C-120</u>	14
14.	
<u>Model PE-9C-140</u>	15
15.	
<u>Model PE-9C-160</u>	16
16.	
<u>Model PE-8V-90-500</u>	17

1. Model PE-13C

. **Number of Color**

1

. **Max. Plate Size**

100x250 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80

. **Max. Printing Length**

60 (mm)

. **Max. Pad Stroke**

200 (mm)

. **Max. Height of Printing Pad**

70 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

----- . **Max. Height of Printing Item**

. **Printing Pad Pressure**

480 (N at 6 bar)

. **Max. Printing Speed**

2100 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.72 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

50 (Watts)

. **Machine Size LxWxH**

55x35x60 (cm)

. **Packing Size LxWxH**

65x45x70 (cm)

. **Approx. Net Weight**

30 (kg)

. **Approx. Gross Weight**

60 (kg)



[Góra dokumentu](#)

2. Model PE-13CP

. **Number of Color**

1

. **Max. Plate Size**

100x250 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80

. **Max. Printing Length**

60 (mm)

. **Max. Pad Stroke**

200 (mm)

. **Max. Height of Printing Pad**

70 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

----- . **Max. Height of Printing Item**

. **Printing Pad Pressure**

480 (N at 6 bar)

. **Max. Printing Speed**

2100 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.8 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

50 (Watts)

. **Machine Size LxWxH**

55x35x60 (cm)

. **Packing Size LxWxH**

65x45x70 (cm)

. **Approx. Net Weight**

40 (kg)

. **Approx. Gross Weight**

80 (kg)



[Góra dokumentu](#)

3. Model PE-2C

. **Number of Color**

1

. **Max. Plate Size**

100x180 (mm)

. **Ink Cup Diameter**

Ø 80 (mm)

. **Max. Printing Diameter**

Ø 50

. **Max. Printing Length**

130 (mm)

. **Max. Pad Stroke**

50 (mm)

. **Max. Height of Printing Pad**

70 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

----- . **Max. Height of Printing Item**

60 (mm)

. **Printing Pad Pressure**

500 (N at 6 bar)

. **Max. Printing Speed**

3000 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.23 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

55x35x60 (cm)

. **Packing Size LxWxH**

65x45x70 (cm)

. **Approx. Net Weight**

35 (kg)

. **Approx. Gross Weight**

65 (kg)



[Góra dokumentu](#)

4. Model PE-3B

. **Number of Color**

1

. **Max. Plate Size**

75x175 (mm)

. **Standard Ink Tray Size**

. **Max. Printing Diameter**

Ø60

. **Max. Printing Length**

55 (mm)

. **Max. Pad Stroke**

50 (mm)

. **Max. Height of Printing Pad**

70 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

----- . **Max. Height of Printing Item**

100 (mm)

. **Printing Pad Pressure**

500 (N at 6 bar)

. **Max. Printing Speed**

3000 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.27 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

50 (Watts)

. **Machine Size LxWxH**

55x35x60 (cm)

. **Packing Size LxWxH**

65x45x70 (cm)

. **Approx. Net Weight**

32 (kg)

. **Approx. Gross Weight**

60 (kg)



[Góra dokumentu](#)

5. Model PE-4C

. **Number of Color**

1

. **Max. Plate Size**

225x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80 (mm)

. **Max. Printing Length**

80 (mm)

. **Max. Pad Stroke**

65 (mm)

. **Max. Height of Printing Pad**

70 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

70 (mm)

. **Printing Pad Pressure**

750 (N at 6 bar)

. **Max. Printing Speed**

1800 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

0.46 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

50 (Watts)

. **Machine Size LxWxH**

70x38x130 (cm)

. **Packing Size LxWxH**

85x53x150 (cm)

. **Approx. Net Weight**

70 (kg)

. **Approx. Gross Weight**

105 (kg)



[Góra dokumentu](#)

6. Model PE-6C

- . **Number of Color**
1
- . **Max. Plate Size**
260x100 (mm)
- . **Ink Cup Diameter**
Ø 90 (mm)
- . **Max. Printing Diameter**
Ø 80 (mm)
- . **Max. Printing Length**
80 (mm)
- . **Max. Pad Stroke**
80 (mm)

- . **Max. Height of Printing Pad**
80 (mm)
- . **Printing Pad Offset Angle**
360°
- . **Work Table Offset Angle**
5°
- . **Max. Height of Printing Item**
80 (mm)

- . **Printing Pad Pressure**
1180 (N at 6 bar)
- . **Max. Printing Speed**
1500 (Cycle/Hour)
- . **Compress Air Pressure**
5-7 (bar)

- . **Air Consumption**
1.03 (L/Cycle)
- . **Mains supply**
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**
60 (Watts)
- . **Machine Size LxWxH**
78x43x143 (cm)
- . **Packing Size LxWxH**
93x58x163 (cm)
- . **Approx. Net Weight**
113 (kg)
- . **Approx. Gross Weight**
158 (kg)



[Góra dokumentu](#)

7. Model PE-8C

. **Number of Color**

1

. **Max. Plate Size**

270x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80 (mm)

. **Max. Printing Length**

80 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

300 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.76 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x44x150 (cm)

. **Packing Size LxWxH**

103x59x170 (cm)

. **Approx. Net Weight**

140 (kg)

. **Approx. Gross Weight**

195 (kg)



[Góra dokumentu](#)

8. Model PE-8MC

. **Number of Color**

1

. **Max. Plate Size**

260x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80 (mm)

. **Max. Printing Length**

80 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

280 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.05 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x44x150 (cm)

. **Packing Size LxWxH**

103x59x170 (cm)

. **Approx. Net Weight**

181 (kg)

. **Approx. Gross Weight**

280 (kg)

**B
r
a
k**

**z
d
j
ę
c
i
a**

[Góra dokumentu](#)

9. Model PE-8C-110

. **Number of Color**

1

. **Max. Plate Size**

260x120 (mm)

. **Ink Cup Diameter**

Ø 110 (mm)

. **Max. Printing Diameter**

Ø 100 (mm)

. **Max. Printing Length**

100 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

280 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.76 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x44x150 (cm)

. **Packing Size LxWxH**

103x59x170 (cm)

. **Approx. Net Weight**

140 (kg)

. **Approx. Gross Weight**

195 (kg)

**B
r
a
k**

**z
d
j
ę
c
i
a**

[Góra dokumentu](#)

10. Model PE-8C-120

. **Number of Color**

1

. **Max. Plate Size**

270x130 (mm)

. **Ink Cup Diameter**

Ø 120 (mm)

. **Max. Printing Diameter**

Ø 110 (mm)

. **Max. Printing Length**

110 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

280 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.76 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x44x150 (cm)

. **Packing Size LxWxH**

103x59x170 (cm)

. **Approx. Net Weight**

140 (kg)

. **Approx. Gross Weight**

195 (kg)



[Góra dokumentu](#)

11. Model PE-8MC-110

. **Number of Color**

1

. **Max. Plate Size**

300x150 (mm)

. **Ink Cup Diameter**

Ø 110 (mm)

. **Max. Printing Diameter**

Ø 100 (mm)

. **Max. Printing Length**

100 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

280 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.05 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x44x150 (cm)

. **Packing Size LxWxH**

103x59x170 (cm)

. **Approx. Net Weight**

181 (kg)

. **Approx. Gross Weight**

280 (kg)

**B
r
a
k**

**z
d
j
ę
c
i
a**

[Góra dokumentu](#)

12. Model PE-8MC-140

. **Number of Color**

1

. **Max. Plate Size**

320x150 (mm)

. **Ink Cup Diameter**

Ø 140 (mm)

. **Max. Printing Diameter**

Ø 130 (mm)

. **Max. Printing Length**

130 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

280 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.05 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x44x150 (cm)

. **Packing Size LxWxH**

103x59x170 (cm)

. **Approx. Net Weight**

181 (kg)

. **Approx. Gross Weight**

280 (kg)

**B
r
a
k**

**z
d
j
ę
c
i
a**

[Góra dokumentu](#)

13. Model PE-9C-120

. **Number of Color**

1

. **Max. Plate Size**

300x150 (mm)

. **Ink Cup Diameter**

Ø 120 (mm)

. **Max. Printing Diameter**

Ø 110 (mm)

. **Max. Printing Length**

110 (mm)

. **Max. Pad Stroke**

160 (mm)

. **Max. Height of Printing Pad**

125 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

500 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

102x86x171 (cm)

. **Packing Size LxWxH**

N/A (cm)

. **Approx. Net Weight**

290 (kg)

. **Approx. Gross Weight**

350 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

14. Model PE-9C-140

. **Number of Color**

1

. **Max. Plate Size**

320x150 (mm)

. **Ink Cup Diameter**

Ø 150 (mm)

. **Max. Printing Diameter**

Ø 140 (mm)

. **Max. Printing Length**

140 (mm)

. **Max. Pad Stroke**

160 (mm)

. **Max. Height of Printing Pad**

125 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

500 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

102x86x171 (cm)

. **Packing Size LxWxH**

N/A (cm)

. **Approx. Net Weight**

290 (kg)

. **Approx. Gross Weight**

350 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

15. Model PE-9C-160

. **Number of Color**

1

. **Max. Plate Size**

360x180 (mm)

. **Ink Cup Diameter**

Ø 160 (mm)

. **Max. Printing Diameter**

Ø 150 (mm)

. **Max. Printing Length**

150 (mm)

. **Max. Pad Stroke**

160 (mm)

. **Max. Height of Printing Pad**

125 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

500 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

102x86x171 (cm)

. **Packing Size LxWxH**

N/A (cm)

. **Approx. Net Weight**

290 (kg)

. **Approx. Gross Weight**

350 (kg)

**B
r
a
k

z
d
j
ę
c
i
a**

[Góra dokumentu](#)

16. Model PE-8V-90-500

. **Number of Color**

1

. **Plate Size**

500x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Area**

350x80 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

340 (mm)

. **Printing Pad Pressure**

3000 (N at 6 bar)

. **Max. Printing Speed**

1500 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.47 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

88x44x150 (cm)

. **Packing Size LxWxH**

89x73x156 (cm)

. **Approx. Net Weight**

130 (kg)

. **Approx. Gross Weight**

200 (kg)



[Góra dokumentu](#)