

---

## **Maszyny do tampondruku**

*Od 2 do 5 kolorowych z zamkniętym systemem farbowym – stół obrotowy:*

1.	<b><u>Model PE-6C/C2/152/10</u></b> .....	2
2.	<b><u>Model PE-8C/C2/152/10</u></b> .....	3
3.	<b><u>Model PE-8MC/C2/152/10</u></b> .....	4
4.	<b><u>Model PE-8MC-110/C2/152/10</u></b> .....	5
5.	<b><u>Model PE-8MC-120/C2/152/10</u></b> .....	6
6.	<b><u>Model PE-8MC-140/C2/203L/10</u></b> .....	7
7.	<b><u>Model PE-9C-140/C2/203L/10</u></b> .....	8
8.	<b><u>Model PE-10C-140/C2/203L/10</u></b> .....	9
9.	<b><u>Model PE-8C/C4/127/16</u></b> .....	10
10.	<b><u>Model PE-8MC/C4/127/16</u></b> .....	11
11.	<b><u>PE-8MC/C4/152L/14</u></b> .....	12
12.	<b><u>Model PE-8MC-140/C4/127/16</u></b> .....	13
13.	<b><u>Model PE-9MC-140/C4/203L/14</u></b> .....	14
14.	<b><u>Model PE-10MC-140/C4/203L/14</u></b> .....	15
15.	<b><u>Model PE-8C/C5/152/16</u></b> .....	16
16.	<b><u>Model PE-8MC/C5/152/16</u></b> .....	17
17.	<b><u>PE-8MC/C5/127L/18</u></b> .....	18
18.	<b><u>Model PE-8MC-110/C5/152/16</u></b> .....	19
19.	<b><u>Model PE-8MC-120/C5/152/16</u></b> .....	20
20.	<b><u>Model PE-8MC-140/C5/203L/14</u></b> .....	21
21.	<b><u>Model PE-9MC-140/C5/203L/14</u></b> .....	22
22.	<b><u>Model PE-10MC-140/C5/203L/14</u></b> .....	23

## 1. Model PE-6C/C2/152/10

. **Number of Color**

2

. **Max. Plate Size**

260x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80 (mm)

. **Pitch of Conveyor**

152 (mm)

. **Max. Pad Stroke**

65 (mm)

. **Max. Height of Printing Pad**

80 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

250 (mm)

. **Printing Pad Pressure**

1154 (N at 6 bar)

. **Max. Printing Speed**

1850 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.44 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

99x82x144 (cm)

. **Packing Size LxWxH**

119x102x151 (cm)

. **Approx. Net Weight**

190 (kg)

. **Approx. Gross Weight**

251 (kg)



[Góra dokumentu](#)

## 2. Model PE-8C/C2/152/10

- . **Number of Color**  
2
- . **Max. Plate Size**  
260x100 (mm)
- . **Ink Cup Diameter**  
Ø 90 (mm)
- . **Max. Printing Diameter**  
Ø 80 (mm)
- . **Pitch of Conveyor**  
152 (mm)
- . **Max. Pad Stroke**  
80 (mm)
  
- . **Max. Height of Printing Pad**  
130 (mm)
- . **Printing Pad Offset Angle**  
360°
- . **Work Table Offset Angle**  
5°
- . **Max. Height of Printing Item**  
250 (mm)
  
- . **Printing Pad Pressure**  
1832 (N at 6 bar)
- . **Max. Printing Speed**  
1650 (Cycle/Hour)
- . **Compress Air Pressure**  
5-7 (bar)
  
- . **Air Consumption**  
1.99 (L/Cycle)
- . **Mains supply**  
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**  
60 (Watts)
- . **Machine Size LxWxH**  
104x82x154 (cm)
- . **Packing Size LxWxH**  
124x102x165 (cm)
- . **Approx. Net Weight**  
235 (kg)
- . **Approx. Gross Weight**  
331 (kg)

**B  
r  
a  
k  
  
z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

### 3. Model PE-8MC/C2/152/10

. **Number of Color**

2

. **Max. Plate Size**

260x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80 (mm)

. **Pitch of Conveyor**

152 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

350 (mm)

. **Printing Pad Pressure**

2954 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.85 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

103x123x165 (cm)

. **Packing Size LxWxH**

124x144x179 (cm)

. **Approx. Net Weight**

248 (kg)

. **Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k**

**z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

#### 4. Model PE-8MC-110/C2/152/10

. **Number of Color**

2

. **Max. Plate Size**

260x120 (mm)

. **Ink Cup Diameter**

Ø 110 (mm)

. **Max. Printing Diameter**

Ø 100 (mm)

. **Pitch of Conveyor**

152 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

350 (mm)

. **Printing Pad Pressure**

2954 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.85 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

103x123x165 (cm)

. **Packing Size LxWxH**

124x144x179 (cm)

. **Approx. Net Weight**

248 (kg)

. **Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k**

**z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

## 5. Model PE-8MC-120/C2/152/10

. **Number of Color**

2

. **Max. Plate Size**

260x120 (mm)

. **Ink Cup Diameter**

Ø 110 (mm)

. **Max. Printing Diameter**

Ø 100 (mm)

. **Pitch of Conveyor**

152 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

350 (mm)

. **Printing Pad Pressure**

2954 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.85 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

103x123x165 (cm)

. **Packing Size LxWxH**

124x144x179 (cm)

. **Approx. Net Weight**

248 (kg)

. **Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k**

**z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

## 6. Model PE-8MC-140/C2/203L/10

. **Number of Color**

2

. **Max. Plate Size**

260x150 (mm)

. **Ink Cup Diameter**

Ø 140 (mm)

. **Max. Printing Diameter**

Ø 130 (mm)

. **Pitch of Conveyor**

203 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

350 (mm)

. **Printing Pad Pressure**

2954 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.85 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

103x123x165 (cm)

. **Packing Size LxWxH**

124x144x179 (cm)

. **Approx. Net Weight**

248 (kg)

. **Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k**

**z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

## 7. Model PE-9C-140/C2/203L/10

- . **Number of Color**  
2
- . **Max. Plate Size**  
260x150 (mm)
- . **Ink Cup Diameter**  
Ø 140 (mm)
- . **Max. Printing Diameter**  
Ø 130 (mm)
- . **Pitch of Conveyor**  
203 (mm)
- . **Max. Pad Stroke**  
125 (mm)
  
- . **Max. Height of Printing Pad**  
130 (mm)
- . **Printing Pad Offset Angle**  
360°
- . **Work Table Offset Angle**  
5°
- . **Max. Height of Printing Item**  
410 (mm)
  
- . **Printing Pad Pressure**  
4710 (N at 6 bar)
- . **Max. Printing Speed**  
1200 (Cycle/Hour)
- . **Compress Air Pressure**  
5-7 (bar)
  
- . **Air Consumption**  
5.46 (L/Cycle)
- . **Mains supply**  
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**  
60 (Watts)
- . **Machine Size LxWxH**  
103x158x171 (cm)
- . **Packing Size LxWxH**  
124x179x184 (cm)
- . **Approx. Net Weight**  
479 (kg)
- . **Approx. Gross Weight**  
640 (kg)

**B  
r  
a  
k  
  
z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)



## 8. Model PE-10C-140/C2/203L/10

- . **Number of Color**  
2
- . **Max. Plate Size**  
260x150 (mm)
- . **Ink Cup Diameter**  
Ø 140 (mm)
- . **Max. Printing Diameter**  
Ø 130 (mm)
- . **Pitch of Conveyor**  
203 (mm)
- . **Max. Pad Stroke**  
125 (mm)
  
- . **Max. Height of Printing Pad**  
130 (mm)
- . **Printing Pad Offset Angle**  
360°
- . **Work Table Offset Angle**  
5°
- . **Max. Height of Printing Item**  
410 (mm)
  
- . **Printing Pad Pressure**  
7212 (N at 6 bar)
- . **Max. Printing Speed**  
100 (Cycle/Hour)
- . **Compress Air Pressure**  
5-7 (bar)
  
- . **Air Consumption**  
7.7 (L/Cycle)
- . **Mains supply**  
110/220V 50/60Hz (Single Phase AC)
- . **Power consumption**  
60 (Watts)
- . **Machine Size LxWxH**  
115x158x1761 (cm)
- . **Packing Size LxWxH**  
136x179x190 (cm)
- . **Approx. Net Weight**  
479 (kg)
- . **Approx. Gross Weight**  
650 (kg)

**B  
r  
a  
k  
  
z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

## 9. Model PE-8C/C4/127/16

. **Number of Color**

4

. **Max. Plate Size**

260x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80 (mm)

. **Pitch of Conveyor**

127 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

250 (mm)

. **Printing Pad Pressure**

1832 (N at 6 bar)

. **Max. Printing Speed**

1650 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

1.94 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

104x103x154 (cm)

. **Packing Size LxWxH**

124x123x165 (cm)

. **Approx. Net Weight**

258 (kg)

. **Approx. Gross Weight**

385 (kg)



[Góra dokumentu](#)

## 10. Model PE-8MC/C4/127/16

. **Number of Color**

4

. **Max. Plate Size**

260x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80 (mm)

. **Pitch of Conveyor**

127 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

350 (mm)

. **Printing Pad Pressure**

2954 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.85 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

103x123x165 (cm)

. **Packing Size LxWxH**

124x144x179 (cm)

. **Approx. Net Weight**

248 (kg)

. **Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k**

**z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

**11. PE-8MC/C4/152L/14****. Number of Color**

4

**. Max. Plate Size**

260x100 (mm)

**. Ink Cup Diameter**

Ø 90 (mm)

**. Max. Printing Diameter**

Ø 80 (mm)

**. Pitch of Conveyor**

152 (mm)

**. Max. Pad Stroke**

80 (mm)

**. Max. Height of Printing Pad**

130 (mm)

**. Printing Pad Offset Angle**

360°

**. Work Table Offset Angle**5° . **Max. Height of Printing Item**

350 (mm)

**. Printing Pad Pressure**

2954 (N at 6 bar)

**. Max. Printing Speed**

1400 (Cycle/Hour)

**. Compress Air Pressure**

5-7 (bar)

**. Air Consumption**

2.85 (L/Cycle)

**. Mains supply**

110/220V 50/60Hz (Single Phase AC)

**. Power consumption**

60 (Watts)

**. Machine Size LxWxH**

103x123x165 (cm)

**. Packing Size LxWxH**

124x144x179 (cm)

**. Approx. Net Weight**

248 (kg)

**. Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k****z  
d  
j  
ę  
c  
i  
a**[Góra dokumentu](#)

## 12. Model PE-8MC-140/C4/127/16

. **Number of Color**

4

. **Max. Plate Size**

260x150 (mm)

. **Ink Cup Diameter**

Ø 140 (mm)

. **Max. Printing Diameter**

Ø 130 (mm)

. **Pitch of Conveyor**

203 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

350 (mm)

. **Printing Pad Pressure**

2954 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.85 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

103x123x165 (cm)

. **Packing Size LxWxH**

124x144x179 (cm)

. **Approx. Net Weight**

248 (kg)

. **Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k**

**z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

### 13. Model PE-9MC-140/C4/203L/14

. **Number of Color**

4

. **Max. Plate Size**

260x150 (mm)

. **Ink Cup Diameter**

Ø 140 (mm)

. **Max. Printing Diameter**

Ø 130 (mm)

. **Pitch of Conveyor**

203 (mm)

. **Max. Pad Stroke**

125 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

410 (mm)

. **Printing Pad Pressure**

4710 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

5.46 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

103x158x171 (cm)

. **Packing Size LxWxH**

124x179x184 (cm)

. **Approx. Net Weight**

479 (kg)

. **Approx. Gross Weight**

640 (kg)

**B  
r  
a  
k**

**z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

**14. Model PE-10MC-140/C4/203L/14****. Number of Color**

4

**. Max. Plate Size**

260x150 (mm)

**. Ink Cup Diameter**

Ø 140 (mm)

**. Max. Printing Diameter**

Ø 130 (mm)

**. Pitch of Conveyor**

203 (mm)

**. Max. Pad Stroke**

125 (mm)

**. Max. Height of Printing Pad**

130 (mm)

**. Printing Pad Offset Angle**

360°

**. Work Table Offset Angle**5° . **Max. Height of Printing Item**

410 (mm)

**. Printing Pad Pressure**

7212 (N at 6 bar)

**. Max. Printing Speed**

1000 (Cycle/Hour)

**. Compress Air Pressure**

5-7 (bar)

**. Air Consumption**

7.7 (L/Cycle)

**. Mains supply**

110/220V 50/60Hz (Single Phase AC)

**. Power consumption**

60 (Watts)

**. Machine Size LxWxH**

115x158x176 (cm)

**. Packing Size LxWxH**

136x179x190 (cm)

**. Approx. Net Weight**

479 (kg)

**. Approx. Gross Weight**

650 (kg)

**B  
r  
a  
k****z  
d  
j  
ę  
c  
i  
a**[Góra dokumentu](#)

## 15. Model PE-8C/C5/152/16

. **Number of Color**

5

. **Max. Plate Size**

260x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80 (mm)

. **Max. Printing Length**

80 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

230 (mm)

. **Printing Pad Pressure**

1800 (N at 6 bar)

. **Max. Printing Speed**

1200 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.2 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

107x123x150 (cm)

. **Packing Size LxWxH**

122x138x170 (cm)

. **Approx. Net Weight**

229 (kg)

. **Approx. Gross Weight**

284 (kg)



[Góra dokumentu](#)



## 16. Model PE-8MC/C5/152/16

. **Number of Color**

5

. **Max. Plate Size**

260x100 (mm)

. **Ink Cup Diameter**

Ø 90 (mm)

. **Max. Printing Diameter**

Ø 80 (mm)

. **Pitch of Conveyor**

152 (mm)

. **Max. Pad Stroke**

80 (mm)

. **Max. Height of Printing Pad**

130 (mm)

. **Printing Pad Offset Angle**

360°

. **Work Table Offset Angle**

5° . **Max. Height of Printing Item**

350 (mm)

. **Printing Pad Pressure**

2954 (N at 6 bar)

. **Max. Printing Speed**

1400 (Cycle/Hour)

. **Compress Air Pressure**

5-7 (bar)

. **Air Consumption**

2.85 (L/Cycle)

. **Mains supply**

110/220V 50/60Hz (Single Phase AC)

. **Power consumption**

60 (Watts)

. **Machine Size LxWxH**

103x123x165 (cm)

. **Packing Size LxWxH**

124x144x179 (cm)

. **Approx. Net Weight**

248 (kg)

. **Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k**

**z  
d  
j  
ę  
c  
i  
a**

[Góra dokumentu](#)

**17. PE-8MC/C5/127L/18****. Number of Color**

5

**. Max. Plate Size**

260x100 (mm)

**. Ink Cup Diameter**

Ø 90 (mm)

**. Max. Printing Diameter**

Ø 80 (mm)

**. Pitch of Conveyor**

127 (mm)

**. Max. Pad Stroke**

80 (mm)

**. Max. Height of Printing Pad**

130 (mm)

**. Printing Pad Offset Angle**

360°

**. Work Table Offset Angle**5° . **Max. Height of Printing Item**

350 (mm)

**. Printing Pad Pressure**

2954 (N at 6 bar)

**. Max. Printing Speed**

1400 (Cycle/Hour)

**. Compress Air Pressure**

5-7 (bar)

**. Air Consumption**

2.85 (L/Cycle)

**. Mains supply**

110/220V 50/60Hz (Single Phase AC)

**. Power consumption**

60 (Watts)

**. Machine Size LxWxH**

103x123x165 (cm)

**. Packing Size LxWxH**

124x144x179 (cm)

**. Approx. Net Weight**

248 (kg)

**. Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k  
  
z  
d  
j  
ę  
c  
i  
a**[Góra dokumentu](#)

**18. Model PE-8MC-110/C5/152/16****. Number of Color**

5

**. Max. Plate Size**

260x100 (mm)

**. Ink Cup Diameter**

Ø 110 (mm)

**. Max. Printing Diameter**

Ø 100 (mm)

**. Pitch of Conveyor**

152 (mm)

**. Max. Pad Stroke**

80 (mm)

**. Max. Height of Printing Pad**

130 (mm)

**. Printing Pad Offset Angle**

360°

**. Work Table Offset Angle**5° . **Max. Height of Printing Item**

350 (mm)

**. Printing Pad Pressure**

2954 (N at 6 bar)

**. Max. Printing Speed**

1400 (Cycle/Hour)

**. Compress Air Pressure**

5-7 (bar)

**. Air Consumption**

2.85 (L/Cycle)

**. Mains supply**

110/220V 50/60Hz (Single Phase AC)

**. Power consumption**

60 (Watts)

**. Machine Size LxWxH**

103x123x165 (cm)

**. Packing Size LxWxH**

124x144x179 (cm)

**. Approx. Net Weight**

248 (kg)

**. Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k  
  
z  
d  
j  
ę  
c  
i  
a**[Góra dokumentu](#)

**19. Model PE-8MC-120/C5/152/16****. Number of Color**

5

**. Max. Plate Size**

260x100 (mm)

**. Ink Cup Diameter**

Ø 120 (mm)

**. Max. Printing Diameter**

Ø 110 (mm)

**. Pitch of Conveyor**

152 (mm)

**. Max. Pad Stroke**

80 (mm)

**. Max. Height of Printing Pad**

130 (mm)

**. Printing Pad Offset Angle**

360°

**. Work Table Offset Angle**5° . **Max. Height of Printing Item**

350 (mm)

**. Printing Pad Pressure**

2954 (N at 6 bar)

**. Max. Printing Speed**

1400 (Cycle/Hour)

**. Compress Air Pressure**

5-7 (bar)

**. Air Consumption**

2.85 (L/Cycle)

**. Mains supply**

110/220V 50/60Hz (Single Phase AC)

**. Power consumption**

60 (Watts)

**. Machine Size LxWxH**

103x123x165 (cm)

**. Packing Size LxWxH**

124x144x179 (cm)

**. Approx. Net Weight**

248 (kg)

**. Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k****z  
d  
j  
ę  
c  
i  
a**[Góra dokumentu](#)

**20. Model PE-8MC-140/C5/203L/14****. Number of Color**

5

**. Max. Plate Size**

260x100 (mm)

**. Ink Cup Diameter**

Ø 140 (mm)

**. Max. Printing Diameter**

Ø 130 (mm)

**. Pitch of Conveyor**

203 (mm)

**. Max. Pad Stroke**

80 (mm)

**. Max. Height of Printing Pad**

130 (mm)

**. Printing Pad Offset Angle**

360°

**. Work Table Offset Angle**5° . **Max. Height of Printing Item**

350 (mm)

**. Printing Pad Pressure**

2954 (N at 6 bar)

**. Max. Printing Speed**

1400 (Cycle/Hour)

**. Compress Air Pressure**

5-7 (bar)

**. Air Consumption**

2.85 (L/Cycle)

**. Mains supply**

110/220V 50/60Hz (Single Phase AC)

**. Power consumption**

60 (Watts)

**. Machine Size LxWxH**

103x123x165 (cm)

**. Packing Size LxWxH**

124x144x179 (cm)

**. Approx. Net Weight**

248 (kg)

**. Approx. Gross Weight**

384 (kg)

**B  
r  
a  
k****z  
d  
j  
ę  
c  
i  
a**[Góra dokumentu](#)

**21. Model PE-9MC-140/C5/203L/14****. Number of Color**

5

**. Max. Plate Size**

260x150 (mm)

**. Ink Cup Diameter**

Ø 140 (mm)

**. Max. Printing Diameter**

Ø 130 (mm)

**. Pitch of Conveyor**

203 (mm)

**. Max. Pad Stroke**

125 (mm)

**. Max. Height of Printing Pad**

130 (mm)

**. Printing Pad Offset Angle**

360°

**. Work Table Offset Angle**5° . **Max. Height of Printing Item**

410 (mm)

**. Printing Pad Pressure**

4710 (N at 6 bar)

**. Max. Printing Speed**

1200 (Cycle/Hour)

**. Compress Air Pressure**

5-7 (bar)

**. Air Consumption**

5.46 (L/Cycle)

**. Mains supply**

110/220V 50/60Hz (Single Phase AC)

**. Power consumption**

60 (Watts)

**. Machine Size LxWxH**

103x158x171 (cm)

**. Packing Size LxWxH**

124x179x184 (cm)

**. Approx. Net Weight**

479 (kg)

**. Approx. Gross Weight**

640 (kg)

**B  
r  
a  
k****z  
d  
j  
ę  
c  
i  
a**[Góra dokumentu](#)

**22. Model PE-10MC-140/C5/203L/14****. Number of Color**

5

**. Max. Plate Size**

260x150 (mm)

**. Ink Cup Diameter**

Ø 140 (mm)

**. Max. Printing Diameter**

Ø 130 (mm)

**. Pitch of Conveyor**

203 (mm)

**. Max. Pad Stroke**

125 (mm)

**. Max. Height of Printing Pad**

130 (mm)

**. Printing Pad Offset Angle**

360°

**. Work Table Offset Angle**5° . **Max. Height of Printing Item**

410 (mm)

**. Printing Pad Pressure**

7212 (N at 6 bar)

**. Max. Printing Speed**

1000 (Cycle/Hour)

**. Compress Air Pressure**

5-7 (bar)

**. Air Consumption**

7.7 (L/Cycle)

**. Mains supply**

110/220V 50/60Hz (Single Phase AC)

**. Power consumption**

60 (Watts)

**. Machine Size LxWxH**

115x158x176 (cm)

**. Packing Size LxWxH**

136x179x190 (cm)

**. Approx. Net Weight**

479 (kg)

**. Approx. Gross Weight**

650 (kg)

**B  
r  
a  
k****z  
d  
j  
ę  
c  
i  
a**[Góra dokumentu](#)