
Maszyny do sitodruku

Do druku na płasko:

1.	
<u>Model SPB-200F</u>	2
2.	
<u>Model SPB-400F</u>	3
3.	
<u>Model SPW-500F</u>	4
4.	
<u>Model SPB-600F</u>	5
5.	
<u>Model SPW-800F</u>	6

Do druku na powierzchniach cylindrycznych:

6.	
<u>Model SPW-250R</u>	7
7.	
<u>Model SPB-400R</u>	8
8.	
<u>Model SPW-500R</u>	9
9.	
<u>Model SPB-600R</u>	10
10.	
<u>Model SPW-800R</u>	11

Do druku na powierzchniach płaskich i cylindrycznych:

11.	
<u>Model SPW-300M</u>	12
12.	
<u>Model SPW-400M</u>	13
13.	
<u>Model SPB-400M</u>	14

Ze stołem próżniowym:

14.	
<u>Model SPB-400FV</u>	15
15.	
<u>Model SPW-500FV</u>	16
16.	
<u>Model SPB-600FV</u>	17
17.	
<u>Model SPW-800FV</u>	18
18.	
<u>Model SPP-600FV</u>	19
19.	
<u>Model YKP90120</u>	20
20.	
<u>Model SPL-120140</u>	21

1. Model SPB-200F

. Working Table Size

120x240 (mm)

. Max. Printing Area

150x160 (mm)

. Max. Frame Size

250x450 (mm)

. Printing Speed

1800 (Cycle/Hour)

. Max. Substrate's Height

100 (mm)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

2.1 (L/Cycle)

. Power Consumption

60 (W)

. Machine Size LxWxH

65x54x85 (cm)

. Approx. Machine 's Weight

83 (kg)



[Góra dokumentu](#)

2. Model SPB-400F

. Working Table Size

300x400 (mm)

. Max. Printing Area

250x350 (mm)

. Max. Frame Size

350x550 (mm)

. Printing Speed

600-1600 (Cycle/Hour)

. Max. Substrate's Height

250 (mm)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

1.03 (L/Cycle)

. Power Consumption

100 (W)

. Machine Size LxWxH

59x73x157 (cm)

. Approx. Machine 's Weight

150 (kg)



[Góra dokumentu](#)

3. Model SPW-500F

. Working Table Size

300x400 (mm)

. Max. Printing Area

300x450 (mm)

. Max. Frame Size

400x650 (mm)

. Printing Speed

600-1300 (Cycle/Hour)

. Max. Substrate's Height

280 (mm)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

6.2 (L/Cycle)

. Power Consumption

100 (W)

. Machine Size LxWxH

76x95x162 (cm)

. Approx. Machine 's Weight

140 (kg)



[Góra dokumentu](#)

4. Model SPB-600F

. Working Table Size

400x600 (mm)

. Max. Printing Area

350x560 (mm)

. Max. Frame Size

400x700 (mm)

. Printing Speed

600-1200 (Cycle/Hour)

. Max. Substrate's Height

250 (mm)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

7.1 (L/Cycle)

. Power Consumption

100 (W)

. Machine Size LxWxH

63x93x103 (cm)

. Approx. Machine 's Weight

175 (kg)



[Góra dokumentu](#)

5. Model SPW-800F

. Working Table Size

400x600 (mm)

. Max. Printing Area

300x700 (mm)

. Max. Frame Size

450x850 (mm)

. Printing Speed

600-1000 (Cycle/Hour)

. Max. Substrate's Height

280 (mm)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

9.1 (L/Cycle)

. Power Consumption

100 (W)

. Machine Size LxWxH

76x125x162 (cm)

. Approx. Machine 's Weight

170 (kg)



[Góra dokumentu](#)

6. Model SPW-250R

. Max. Printing Area

200x235 (mm)

. Max. Frame Size

300x400 (mm)

. Curve Printing Dia.

15~ 75 (mm)

. Printing Speed

1600 (Cycle/Hour)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

0.43 (L/Cycle)

. Power Consumption

60 (W)

. Machine Size LxWxH

83x80x121 (cm)

. Approx. Machine 's Weight

100 (kg)



[Góra dokumentu](#)

7. Model SPB-400R

- . **Max. Printing Area**
250x360 (mm)
- . **Max. Frame Size**
350x550 (mm)
- . **Curve Printing Dia.**
15~115 (mm)
- . **Printing Speed**
600-1600 (Cycle/Hour)

Main supply
110/220V 50/60Hz

. **Input Air Pressure**
4-7 (bar)

. **Air Consumption**
5.9 (L/Cycle)

. **Power Consumption**
100 (W)

. **Machine Size LxWxH**
59x73x157 (cm)

. **Approx. Machine 's Weight**
130 (kg)



[Góra dokumentu](#)

8. Model SPW-500R

. Max. Printing Area

250x455 (mm)

. Max. Frame Size

400x650 (mm)

. Curve Printing Dia.

15~145 (mm)

. Printing Speed

600-1300 (Cycle/Hour)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

5.9 (L/Cycle)

. Power Consumption

100 (W)

. Machine Size LxWxH

59.5x73x157 (cm)

. Approx. Machine 's Weight

130 (kg)



[Góra dokumentu](#)

9. Model SPB-600R

- . **Max. Printing Area**
350x565 (mm)
- . **Max. Frame Size**
400x750 (mm)
- . **Curve Printing Dia.**
15~180 (mm)
- . **Printing Speed**
600-1200 (Cycle/Hour)

Main supply
110/220V 50/60Hz

. **Input Air Pressure**
5-7 (bar)

. **Air Consumption**
7.1 (L/Cycle)

. **Power Consumption**
100 (W)

. **Machine Size LxWxH**
59x93x157 (cm)

. **Approx. Machine 's Weight**
100 (kg)



[Góra dokumentu](#)

10. Model SPW-800R

. Max. Printing Area

300x722 (mm)

. Max. Frame Size

450x950 (mm)

. Curve Printing Dia.

15~260 (mm)

. Printing Speed

600-1000 (Cycle/Hour)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

7.1 (L/Cycle)

. Power Consumption

100 (W)

. Machine Size LxWxH

59.5x93x157 (cm)

. Approx. Machine 's Weight

150 (kg)



[Góra dokumentu](#)

11. Model SPW-300M

. Max. Printing Area

200x250 (mm)

. Max. Frame Size

300x500 (mm)

. Curve Printing Dia.

15~80 (mm)

.Max. Printing Speed

2000 (Cycle/Hour)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

1.1 (L/Cycle)

. Power Consumption

100 (W)

. Machine Size LxWxH

92x83x128 (cm)

. Approx. Machine 's Weight

110 (kg)



[Góra dokumentu](#)

12. Model SPW-400M

- . **Max. Printing Area**
250x350 (mm)
- . **Max. Frame Size**
350x550 (mm)
- . **Curve Printing Dia.**
15~110 (mm)
- . **Max. Printing Speed**
600~1300 (Cycle/Hour)

Main supply
110/220V 50/60Hz

. **Input Air Pressure**
4-7 (bar)

. **Air Consumption**
5.0 (L/Cycle)

. **Power Consumption**
100 (W)

. **Machine Size LxWxH**
100x83x114.5 (cm)

. **Approx. Machine 's Weight**
143 (kg)



[Góra dokumentu](#)

13. Model SPB-400M

- . **Max. Printing Area**
250x350 (mm)
- . **Max. Frame Size**
350x550 (mm)
- . **Curve Printing Dia.**
15~110 (mm)
- . **Max. Printing Speed**
600~1600 (Cycle/Hour)

Main supply
110/220V 50/60Hz

. **Input Air Pressure**
4-7 (bar)

. **Air Consumption**
5.9 (L/Cycle)

. **Power Consumption**
100 (W)

. **Machine Size LxWxH**
59.5x73x157 (cm)

. **Approx. Machine 's Weight**
150 (kg)



[Góra dokumentu](#)

14. Model SPB-400FV

. Working Table Size

300x400 (mm)

. Max. Printing Area

250x350 (mm)

. Max. Frame Size

350x550 (mm)

. Printing Speed

600-1600 (Cycle/Hour)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

5.9 (L/Cycle)

. Power Consumption

700 (W)

. Machine Size LxWxH

59.5x73x157 (cm)

. Approx. Machine 's Weight

150 (kg)



[Góra dokumentu](#)

15. Model SPW-500FV

. Working Table Size

300x400 (mm)

. Max. Printing Area

300x450 (mm)

. Max. Frame Size

400x600 (mm)

. Printing Speed

600-1300 (Cycle/Hour)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

6.2 (L/Cycle)

. Power Consumption

700 (W)

. Machine Size LxWxH

76x95x162 (cm)

. Approx. Machine 's Weight

140 (kg)



[Góra dokumentu](#)

16. Model SPB-600FV

. Working Table Size

400x600 (mm)

. Max. Printing Area

300x550 (mm)

. Max. Frame Size

400x700 (mm)

. Printing Speed

600-1200 (Cycle/Hour)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

7.1 (L/Cycle)

. Power Consumption

700 (W)

. Machine Size LxWxH

63x93x103 (cm)

. Approx. Machine 's Weight

175 (kg)



[Góra dokumentu](#)

17. Model SPW-800FV

. Working Table Size

400x800 (mm)

. Max. Printing Area

300x700 (mm)

. Max. Frame Size

400x900 (mm)

. Printing Speed

600-1000 (Cycle/Hour)

Main supply

110/220V 50/60Hz

. Input Air Pressure

4-7 (bar)

. Air Consumption

9.1 (L/Cycle)

. Power Consumption

700 (W)

. Machine Size LxWxH

76x125x162 (cm)

. Approx. Machine 's Weight

170 (kg)

.The max. height of printing item

is be about 400mm.



[Góra dokumentu](#)

18. Model SPP-600FV

. Working Table Size

400x600 (mm)

. Max. Printing Area

350x560 (mm)

. Max. Frame Size

400x600 (mm)

. Printing Speed

800 (Cycle/Hour)

Main supply

110/220V 50/60Hz

. Input Air Pressure

5-7 (bar)

. Air Consumption

7.1 (L/Cycle)

. Power Consumption

700 (W)

. Machine Size LxWxH

108x109x180 (cm)

. Approx. Machine 's Weight

205 (kg)



[Góra dokumentu](#)

19. Model YKP90120*Specification:*

Worktable size (mm)	1000 x 1300
Max printing area (mm)	900 x 1200
Max screen frame (mm)	1200 x 1500
Min screen frame (mm)	650 x 700
Height of upward screen frame (mm)	300
Working air pressure (bar)	5-7
Air pressure consumption (L/ Cycle)	13
Rating voltage (V/Hz)	230/50
Power supply (kw)	3.7
Max height of worktable (mm)	820
Printing speed (Cycle/Hour)	400-1000
Machine size W×H×L (mm)	1800x1400x1300
Machine weight (kg)	550

[Góra dokumentu](#)

20. Model SPL-120140***Specification:***

Worktable size (mm)	1400 x 1600
Max printing area (mm)	1200 x 1400
Max screen frame (mm)	1600 x 1800
Min screen frame (mm)	650 x 700
Height of upward screen frame (mm)	300
Working air pressure (bar)	5-7
Air pressure consumption (L/ Cycle)	13
Rating voltage (V/Hz)	230/50
Power supply (kw)	3.7
Max height of worktable (mm)	820
Printing speed (Cycle/Hour)	400-1000
Machine size W×H×L (mm)	2400x1700x1300
Machine weight (kg)	600

[Góra dokumentu](#)